

From: Piro, Peter (DPH) </O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=PETER.PIRO>
Sent: Monday, March 7, 2011 11:16 AM
To: Farak, Sonja (DPH) <Sonja.Farak@MassMail.State.MA.US>
Subject: RE: GC/MS Question

Hi Sonja,

We've had Lisdexamphetamine in the past. If it is not specifically mentioned in class A, B, C, or D, then it will be a class E. I believe Annie has confirmed them in the past by IR when we first encountered them. Since it's likely an E, do you still need to test it? If you do, maybe the cleanup for clonidine (to get rid of steric acid) would work. Dissolve sample in water, isolate water, add bicarbonate and extract with CHCl₃. Did the GC/MS give amphetamine or anything?

From: Farak, Sonja (DPH)
Sent: Monday, March 07, 2011 8:57 AM
To: Piro, Peter (DPH)
Subject: GC/MS Question

Hi Peter-

I received some capsules of Vyvanse® (Lisdexamfetamine dimesylate) to analyze but am having trouble doing it. From what I've read, it's a prodrug of dextroamphetamine and is only activated by an enzyme in the stomach/GI tract. Have you run into this? Any idea how to analyze it? FTIR didn't come up with anything. Also, I know that it is a CII federally, so I'm guessing that it would be a class B for us, right?

Thanks,

Sonja

Sonja Farak
Drug Analysis Lab

Full prescribing information:

http://pi.shirecontent.com/PI/PDFs/Vyvanse_USA_ENG.pdf